




Riduzione eccentrica PP
 Estremità per saldatura di testa
 Codice: DREBM

PP reducer excentric
 Ends for butt fusion welding
 Code: DREBM



PN 10 – ISO S-5 – SDR 11

De	de	l	l ₁	l ₂	s ₁	s ₂	Peso Weight (gr)
25	20	103±2,5	51±1,5	38±1,5	103±2,5	51±1,5	38±1,5
32	25	114±2,5	56±1,5	40±1,5	114±2,5	56±1,5	40±1,5
40	25	126±2,5	60±1,5	40±1,5	126±2,5	60±1,5	40±1,5
40	32	125±2,5	59±1,5	44±1,5	125±2,5	59±1,5	44±1,5
50	50	156±2,5	71±1,5	45±1,5	156±2,5	71±1,5	45±1,5
50	40	157±2,5	71±1,5	49±1,5	157±2,5	71±1,5	49±1,5
63	32	177±2,5	74±1,5	45±1,5	177±2,5	74±1,5	45±1,5
63	40	177±2,5	76±1,5	49±1,5	177±2,5	76±1,5	49±1,5
63	50	177±2,5	76±1,5	56±1,5	177±2,5	76±1,5	56±1,5
75	50	197±2,5	84±1,5	57±1,5	197±2,5	84±1,5	57±1,5
75	63	197±2,5	83±1,5	63±1,5	197±2,5	83±1,5	63±1,5
90	63	220±2,5	92±1,5	64±1,5	220±2,5	92±1,5	64±1,5
90	75	218±2,5	93±1,5	70±1,5	218±2,5	93±1,5	70±1,5
110	63	247±2,5	99±1,5	63±1,5	247±2,5	99±1,5	63±1,5
110	90	244±2,5	98±1,5	79±1,5	244±2,5	98±1,5	79±1,5
125	63	265±3,0	105±2,0	63±1,5	265±3,0	105±2,0	63±1,5
125	90	266±3,0	107±2,0	79±1,5	266±3,0	107±2,0	79±1,5
125	110	265±3,0	106±2,0	87±1,5	265±3,0	106±2,0	87±1,5
140	125	283±4,0	110±2,0	95±2,0	283±4,0	110±2,0	95±2,0
160	90	309±4,0	118±2,0	79±1,5	309±4,0	118±2,0	79±1,5
160	110	309±4,0	116±2,0	87±1,5	309±4,0	116±2,0	87±1,5
160	125	309±4,0	117±2,0	92±2,0	309±4,0	117±2,0	92±2,0
160	140	308±4,0	117±2,0	99±2,0	308±4,0	117±2,0	99±2,0
180	90	345±4,0	129±2,0	79±1,5	345±4,0	129±2,0	79±1,5
180	125	345±4,0	136±2,0	94±2,0	345±4,0	136±2,0	94±2,0
180	160	353±4,0	136±2,0	105±2,0	353±4,0	136±2,0	105±2,0
200	160	373±4,0	139±2,0	105±2,0	373±4,0	139±2,0	105±2,0
200	180	373±4,0	144±2,0	112±2,0	373±4,0	144±2,0	112±2,0
225	160	405±4,0	155±2,0	103±2,0	405±4,0	155±2,0	103±2,0
225	180	403±4,0	155±2,0	111±2,0	403±4,0	155±2,0	111±2,0
225	200	403±5,0	156±2,5	118±2,5	403±5,0	156±2,5	118±2,5
250	200	314±4,0	155±2,0	125±2,0	314±4,0	155±2,0	125±2,0
250	225	440±6,0	174±3,0	127±2,5	440±6,0	174±3,0	127±2,5

- Attacchi in accordo alle seguenti normative:
 DIN 16962, accoppiabili con tubi secondo le norme EN ISO 15494, DIN 8077-8078, UNI 8318.
- Coupling comply with the following standards:
 DIN 16962, coupling to pipes complying with EN ISO 15494, DIN 8077-8078, UNI 8318.